




AHDEMSTAR

tarum

makinalaru

BANANA TREE SHREDDER






PRODUCT INTRODUCTION

MODEL BTS-700 LENGHT (MM) 1370 WIDTH (MM) 1060 HEIGHT (MM) 1400 WEIGHT (KGS) 350 BLADE (PCS) 4 FEEDING MOUTH SIZES HEIGHT 5300MM – LENGHT 730MM FEEDING FREE FALL WORKING CPACITY MAX 9 CM/ BANANA AND PALMIE UP TO 26CM TRACTOR POWER (HP) 35

HAMMER MILL





PRODUCT INTRODUCTION

THE HAMMER MILL PERFORMS HIGH-CAPACITY CRUSHING. IT CRUSHS DIFFERENT KIND OF CROPS LIKE WHEAT, BARLEY, CORN AND ETC. WITH 64 PCS BLADES MACHINE PRODUCES REQUESTED QUALITY AND HAS HIGH PRODUCTIVITY SPECIFICATIONS AS WELL AS IT CRUSHS 2 TONS PER A HOUR. IT DOSE NOT NEED TO MORE LABOUR AND HIGH HP TRACTOR POWER. A FARMER CAN USE IT EASILY AND IN A LOW ECONOMIC CONDITIONS.

MAIZE CHOPPER





PRODUCT INTRODUCTION

MACHINE'S MOST IMPORTANT FEATURE IS THE FLEXIBLE DESIGN OF CHASSIS WITH TRACTOR'S BACK TO TURN TOWARDS THE BACK TO HARVEST TO MAKE IT POSSIBLE. ROAD POENS PORABLE FIELDS TO MIDDLE WITH THIS FEATURE, MORE FEW RETURNS AND DIESEL OIL WASTE LOWERS. CUTTER AND NUTRITIVE CLASSICAL LUTE CUTES CORNAND TO NUTRIVITE UNITY CONVEYS. THE SUPPORTER PART FEEDS THE FAN WHICH HAS RENDING KNIVES FROM REIGHT SIDE AND PROVIDES BEST FRAGMENTATION. THE FAN ON WHICH HAS 12 KNIVES THAT ARE HARDENED SPECIALLY RETURNS ALMOST 1400 RPM. THERE ARE TWO FEEDER DRUMS WHICH PROVIDE MAIZE TO GO TO THE RENDING FAN ONE OG THE FORCE DRUMS HAS FORCE STRING AND ITS SURFACE IS SERRATED.

POTATO HARVESTER





PRODUCT INTRODUCTION

POTATO HARVESTER MACHINE PRODUCED TO HARVEST POTATOS FROM LAND. IT IS SINGLE ROW OR TWO ROWS. TRAILED TYPE POTATO HARVESTER HAS A HIGH DIGGING PERFORMANCE DURING WORK. NOT DAMAGES TO THE POTATO DURING WORK AND HARVESTING FUNCTON IS ADJUSTABLE BY THE TRACTOR OPERATÖR.

REAPER BINDER 140








PRODUCT INTRODUCTION

THE REAPER-BINDER WHICH IS DREVEN BY THE POWER - TAKE - OFF DREVE OF THE TRAKTOR AND EASILY ATTACHED TO THE TRACTOR BY ITS THEEE - POINT HITCH IS A VERY USEFUL AND PRACTICAL MACHINE THAT NEEDS VERY LITTLE MAINTENANCEAND IT REAPS AND BINDS THE CROPS SUCH AS WHEAT, WHEAT GRAINED BARLEY, OAT, RYE AND LEAVES THEM COLLECTIVELY ON THE FARM AT REGULAR INVETALS. THE CUTTING HEIGHT WHICH IS ADJUSTED BY ITS HYDRAULIC SLEEVES AUTOMACTICALY PRESERVES ITS LEVEL IN ACCORD WITH THE UNEVENESS WITH THE HELP OF A SAFETY MECHANISM AGAINST THE POSSIBLE OVERLOADS.

REAPER BINDER 180








PRODUCT INTRODUCTION

THE REAPER-BINDER WHICH IS DREVEN BY THE POWER - TAKE - OFF DREVE OF THE TRAKTOR AND EASILY ATTACHED TO THE TRACTOR BY ITS THEEE - POINT HITCH IS A VERY USEFUL AND PRACTICAL MACHINE THAT NEEDS VERY LITTLE MAINTENANCEAND IT REAPS AND BINDS THE CROPS SUCH AS WHEAT, WHEAT GRAINED BARLEY, OAT, RYE AND LEAVES THEM COLLECTIVELY ON THE FARM AT REGULAR INVETALS. THE CUTTING HEIGHT WHICH IS ADJUSTED BY ITS HYDRAULIC SLEEVES AUTOMACTICALY PRESERVES ITS LEVEL IN ACCORD WITH THE UNEVENESS WITH THE HELP OF A SAFETY MECHANISM AGAINST THE POSSIBLE OVERLOADS.

SQUARE BALER









PRODUCT INTRODUCTION

GENERAL FEATURES: BALERS ARE THE MACHINES WHICH PICK UP REAPED BARREL HAY, ALFALFA WHEAT AND WHICH TIE STRAW OR STALK BY PRESSING WITH ROPE. OF THE MOST WIDESPREAD AND USEFUL OF BALER IS THE MACHINE WHICH MAKES THE BALES WHOSE SHAPE IS RECTANGULAR PRISM. OWING TO THIS WAY, FOR THE PUBLIC, TANSPORT STORAGE AND USING WILL BE MUCH EASIER. THE POWER REQUIED FOR OPERATION OF THE MACHINE, IS TAKEN BY THE HELP OF THE TRACTOR WITH SHAFT. DOUBLE - EFFECTIVE HIDRAULIC PISTON LIFTING SYSTEM IN THE RECORD PART HELPS TO PICK UP ALL CROPS FROM THE FIELD BY MOVING UP AND DOWN. PICKING HEIGHT CAN BE ARRANGED FROM THE DRIVERS SIDE.

CHISEL





makinaları




PRODUCT INTRODUCTION

CHISEL IS A TYPE OF CULTIVATION MACHINE WHICH CULTIVATES THE SOIL INDEPENDENTLY.
IT BREAKS LAYER OF THE STRONG SOIL AND UPDATES PRODUCTIVITY OF THE SOIL. WITH THE
CHISEL FARMER DOSE NEED TO COBLE, DISCAROW AND OTHER MACHINE FOR
PREPOCESSING OF THE SOIL. FROM THIS ANGLE IT SEEMS THAT CHISEL IS VERY USEEFUL
AND ECONOMICAL FOR FARMER BUDGET. SO WITH LESS BUDGET TO PRODUCTIVITY WORK.

FIELD TYPE ROTOVATOR










PRODUCT INTRODUCTION

FIELD TYPE ROTAVATOR IS A TRACTOR-DRAWN IMPLEMENT WHICH IS MAINLY USED FOR SEED BED PREPARATION. ALSO THIS TYPE OF ROTOVATOR PLAYS A VITAL ROLE IN HELPING THE FARMER TO PLOUGH THEIR LAND IN A MUCH FASTER AND EFFECTIVE WAY. AN ATTEMPT HAS BEEN MADE TO EVALUATE THE PERFORMANCE OF ROTAVATOR IN DRY LAND WET LAND CONDITION.

FORESTRY MULCHER





nakinalari



PRODUCT INTRODUCTION

MULCHER IS SUITABLE FOR CUTTING AND SHREDING PIECES OF POST-HARVEST STEMS AND BRANCHES ON VINEYARDS, ORCHARDS, GARDENS AND SMALL FIELDS.

GARDEN TYPE ROTOVATOR






tarım makinaları

PRODUCT INTRODUCTION

GARDEN TYPE MINI ROTOVATOR PROCESS SOIL FOR SEEDBED OR PLANTING PREPARATION AND HAVE USES IN APPLICATIONS SUCH AS RESIDENTIAL LANDSCAPING AND GARDENING. THE OFFSET CAPABILITIES ALLOW THE ROTOVATOR TO WORK CLOSER TO OBJECTS SUCH AS FENCE LINES, BUILDINGS, OR TREES. THE ROTOVATOR TENDS TO ACHIEVE GREATER DEPTH OF PENETRATION, MOVING AND PULVERIZING MORE SOIL IN THE PROCESS, WHILE BURYING RESIDUE AS OPPOSED TO LEAVING IT ON TOP.

GARDEN TYPE STANDART ROTOVATOR





tarım makinaları

PRODUCT INTRODUCTION



GARDEN TYPE STANDART ROTOVATOR PROCESS SOIL FOR SEEDBED OR PLANTING PREPARATION AND HAVE USES IN APPLICATIONS SUCH AS RESIDENTIAL LANDSCAPING AND GARDENING. THE OFFSET CAPABILITIES ALLOW THE ROTOVATOR TO WORK CLOSER TO OBJECTS SUCH AS FENCE LINES, BUILDINGS, OR TREES. THE ROTOVATOR TENDS TO ACHIEVE GREATER DEPTH OF PENETRATION, MOVING AND PULVERIZING MORE SOIL IN THE PROCESS, WHILE BURYING RESIDUE AS OPPOSED TO LEAVING IT ON TOP.

HOE MACHINE





tarım makinaları


PRODUCT INTRODUCTION

HOE MACHINE IS IDEAL FOR HOEING VEGETABLES, SUGAR BEET, COTTON, CORN, TOBACCO, TOMATOES, STRAWBERRY AND SUNFLOWERS IN THE QUEUE, IT DOES NOT CAUSE TO A HARD GROUND IN THE FIELD, AT THE SAME TIME SHOULD BE ATTACHED THE FERTILIZER TOOLS, SAVE MOISTURE OF SOIL, FIGHT TO WEEDS.

ALSO HE PLANTS CAN DEVELOP FASTER AS FILLING ITS THROATS WITH THE SOIL THE SECOND HOEING WITH A SPECIAL FILLING SYSTEM.

HORIZONTAL CULTIVATOR





makinaları





HORIZONTAL TYPE CULTIVATOR CAN BE USED FOR SEVERAL SOIL PROCESSING WITH ITS COMPACT STRUCTURE. IT CAN PROVIDE AN EFFECTIVE SOIL PROCESSING ON STUBBLE PROCESSING AFTER HARVEST. THE STUBBLE IS MIXED TO SOIL BY BEING CUT FROM ITS ROOT, IT BECOMES ORGANIC FERTILIZER FOR THE NEXT PRODUCT SEASON. SOIL SURFACE SEED-BED IS PREPARED IN THE MOST CONVENIENT WAY BY LEVELLING DISCS AND ROLLER COMBINATION.

LAND LEVELLER



tarım

makinalaru




PRODUCT INTRODUCTION

THIS LAND LEVELLER IS A FARM IMPLEMENTS THAT USES THE SCRAPER WHICH FITTED BETWEEN THE FRONT AND BACK REAR WHEELS TO UNKNIT LAND, THE SCRAPER CAN BE LIFTED, SLOPED, REVOLVED. THIS MACHINE IS FLEXIBLE AND ACCURATE, EASY TO USE; APPLICABLE FOR CONSTRUCTING THE ROADBED AND ROAD SURFACE, DITCHING THE SIDE SLOPE, MIXING ROAD MIXTURES, REMOVING SNOW, TRANSPORTING GRAIN MATERIALS AND MAINTAINING THE DIRT ROADS AND GRAVEL ROADS, ETC.

MECHANICAL SEEDER





makinalari





AGRICULTURAL MACHINERY TRACTOR MOUNTED SEEDER WHEAT IS SUITABLE FOR DRILLING WHEAT, BARLEY, BEANS, ALFALFA, CHICKPEA AND ETC. IT HAS FERTILIZING STORE AND CAN FERTILIZE WHILE DRILLING. IT CAN PERFORM DRILLING, FERTILIZING, COVERING AND ROLLING AT THE SAME TIME. SO IT IS A COMBINE MACHINE WHICH CAN BE LEFT AT EQUAL ROWS AND DEMANDED DEPTH AND QUANTITY TO SEEDS AND FERTILIZER.

POTATO PLANTER





tarım makinaları



PRODUCT INTRODUCTION

POTATO PLANTER IS A AUTOMATIC TYPE POTATO PLANTER FOR AUTOMATICALLY PLANTING CUT OR GRADED SEED POTATOES AND OTHER SIMILAR SIZE TUBERS. IT IS AVAILABLE AS A TWO AND FOUR ROWS MODEL. ROW SPACINGS ARE ADJUSTABLE FROM 70 CM TO 75 CM AND UP ACCORDING TO DEMAND. FERTILIZER AND INSECTICIDE ATTACHMENTS ARE OPTIONAL.

STRAW CHOPPER








PRODUCT INTRODUCTION

STRAW CHOPPER IS USED TO CHOP PLANT WASTES AFTER HARVEST. ALL THE PLANT WASTES AND RESIDUES GOT BROKEN IN VERY LITTLE PIECES. WITH THE PROCESS, RESIDUES CAN DISSOLVE IN THE SOIL EASILY. THE PROCESS ENHANCES SOIL MICROORGANISMS, SO; SOIL QUALITY.

FERTILIZER SPREADER





tarım makinaları



PRODUCT INTRODUCTION

BALE LOADER IS ONE OF THE USEFUL MACHINE FOR FARMERS. BESIDE GRASS MOWER AND BALER MACHINE FARMERS NEED TO THE BALE MACHINE TO COLLECT BALES FAST AND ECONOMICALLY. SO THIS MACHINE COLLECTS 2500–3000 BALES WITHIN 12 HOURS. IN THIS CONDITION FARMERS DO NOT NEED MORE LABOR AND FEES. THE BALE MACHINE HAS CAPACITY TO SEND BALES TO A TRAILER OR A TRUCK UP TO 4300 MM HEIGHT.

DOUBLE AXLE TRAILER



AHDEMSTAR

tarum


makinalaru

PRODUCT INTRODUCTION

THE AGRICULTURAL TRAILER IS A EQUIPEMENT TO CARRY WHEAT, BARLEY, CORN, MAIZE SILAGE, FERTILIZER AND SIMILARS. THE TRAILER HAS OPTIONS LIKE THREE SIDE TIPPING AND JUST BACK SIDE TIPPING. IT HAS HYDRAULIC BRAKE AND DUMPING SYSTEM CAN BE CONTROLLED FROM A TRACTOR. ALSO ITS TYRES ARE OPTIONAL AS SMALL AND BIG TYRES.



THE AGRICULTURAL TRAILER IS A EQUIPEMENT TO CARRY WHEAT, BARLEY, CORN, MAIZE SILAGE, FERTILIZER AND SIMILARS. THE SINGLE AXLE TRAILER HAS BACK TIPPING SYSTEM. IT HAS HYDRAULIC BRAKE AND DUMPING SYSTEM CAN BE CONTROLLED FROM A TRACTOR. ALSO ITS TYRES ARE OPTIONAL AS SMALL AND BIG TYRES.



AHDEMSTAR

Tarım makinaları ve ilaçlama sulama alanında çifçilerin ihtiyacı olan her türlü araç gereç gereksinimlerini modern ve yenilikçi ürünlerle siz değerli çifçilerimize sunuyoruz.

Bizi tercih ettiğiniz için

Teşekkür ederiz.